

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	548	(transfer\$3 or send\$3) with ((product with catalog\$4) (printed with catalog\$4) (printed with flyers) (electronic with catalog\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:09
L2	110	L1 and (product with record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:25
L3	5	L2 and (statistic or "predictive modeling") with (customer user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:30
L4	19	pagination and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:26
L5	26	pagination and (field with (program and code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:26
L6	10	"product catalog" and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:26
L7	3	(Framemaker and Filemaker) and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:27
L8	0	((((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database) and ("markup interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:27
L9	4	((((field and record) and paginat\$3) and (field with instruction)) and (add\$3 with field same record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:05

EAST Search History

L10	6	((("markup interchange format" or MIF) and Framemaker) and convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:47
L11	106	((((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat\$3) and output) and catalog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:29
L12	25	pagination with program same output	USPAT	OR	ON	2007/02/16 19:30
L13	0	11 and 12	USPAT	OR	ON	2007/02/16 19:30
L14	0	Aframe and (table with instruction with pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:13
L15	180	Aframe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:12
L16	0	Aframe same (name with image) same product same path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:12
L17	0	Aframe same (name with image) same product	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:12
L18	0	Aframe same (name with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:12
L19	0	Aframe same (path with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:12
L20	1	(table with instruction with pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:14

EAST Search History

L21	0	statistic with (orders same number same money same recency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:15
L22	0	calculat\$3 with (orders same number same money same recency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:16
L23	14213	calculat\$3 with (orders same (number money recency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:16
L25	975	statistic with (orders same (number money recency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:16
L26	75	23 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:16
L27	0	26 and (transfer same pagination same output) same statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:17
L28	0	26 and (transfer same pagination same output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:17
L29	0	26 and (transfer same pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:17
L30	6	26 and (transfer same output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:27
L31	0	calculat\$3 with statistic same (transfer\$3 with pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:20

EAST Search History

L32	0	(calculat\$3 with statistic) same (transfer\$3 same pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:27
L33	0	(transfer\$3 same pagination) same recipient same statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:26
L34	0	(transfer\$3 same pagination) same recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:25
L35	1	(output same pagination) same recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:23
L36	93	pagination with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:23
L37	38	36 and (generat\$3 with (output result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:23
L38	0	37 and transfer\$3 with output same (user recipient customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:24
L39	2	37 and send\$3 with output same (user recipient customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:24
L40	3	(send\$3 same pagination) same recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:25
L41	0	(send\$3 same pagination) same recipient same statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:26

EAST Search History

L42	0	(calculat\$3 with statistic) same (send\$3 same pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:27
L43	5	26 and (send\$3 same output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:27

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L44	12551	(707/1,3,4,102,104.1,200,203).CCLS.	USPAT; USOCR	OR	OFF	2007/02/16 21:09
L46	798	(705/10).CCLS.	USPAT; USOCR	OR	OFF	2007/02/16 20:50
L47	1782	(715/500,517,523,530).CCLS.	USPAT; USOCR	OR	OFF	2007/02/16 21:01
L49	14019	44 or 47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:50
L50	66	49 and pagination and (field directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:53
L52	0	50 and (record with field with directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:51
L53	0	49 and pagination and (field with directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:52
L54	13	49 and pagination with program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 20:53
L55	148	49 and (statistic with order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:01
L56	0	55 and pagination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:02

EAST Search History

L57	32	44 and pagination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:06
L58	0	44 and pagination.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:06
L59	19591	("707").CLAS.	USPAT; USOCR	OR	OFF	2007/02/16 21:06
L60	2	59 and pagination.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:06
L61	2	"alamo iron works".asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:10
L63	0	filipowsky-pedro.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:11
L66	0	"filipowsky pedro G".inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:12
L67	0	savoie-james.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:12
L68	0	james-savoie.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 21:12

EAST Search History

S8	3	pagination and (field with script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:18
S9	12	pagination and (field with (program and code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:26
S10	97	aframe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:12
S11	9	aframe and "file name" and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S12	613	pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S13	123	pagination and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S14	76	(pagination and database) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S15	68	((pagination and database) and instruction) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S16	65	((((pagination and database) and instruction) and output) and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S17	50	(((((pagination and database) and instruction) and output) and field) and code and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 11:40

EAST Search History

S18	49	pagination.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:21
S19	135	pagination.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:21
S20	1	(pagination.ab. and (access with database)) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:22
S21	5	pagination.ab. and (access with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:22
S22	4952	"product catalog"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:46
S23	4	"product catalog" and database and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:35
S24	4	"product catalog" and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:26
S25	1	"catalog pagination"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:47
S26	51	catalog and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:47
S27	37	(catalog and pagination) and (directive or instructions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:19

EAST Search History

S28	0	((catalog and pagination) and (directive or instructions)) and (field with directive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:48
S29	37	((catalog and pagination) and (directive or instructions)) and (code or scripts or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:48
S30	36	((catalog and pagination) and (directive or instructions)) and (code or scripts or command)) and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:49
S31	28	((catalog and pagination) and (directive or instructions)) and (code or scripts or command)) and format) and (creat\$3 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 19:58
S32	1	statistic with (orders and monetary and (recency or new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:45
S33	32	orders and monetary and recency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 20:07
S34	10	(orders and monetary and recency) and statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 20:08
S35	2	"pagination program" and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:16
S36	4	"pagination program"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:16
S37	222871	field and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:18

EAST Search History

S38	338	(field and record) and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:18
S39	1	((((field and record) and paginat\$3) and (field with instruction)) and (add\$3 with field same record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:27
S40	19	((field and record) and paginat\$3) and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:24
S41	24	paginat\$3 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:24
S42	66	paginat\$3 with direct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S43	0	(paginat\$3 with instruction) and (paginat\$3 with direct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S44	90	(paginat\$3 with instruction) or (paginat\$3 with direct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S45	25	((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:26
S46	0	((((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database) and ("mark up interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:27
S47	0	((((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database) and ("markup interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:27

EAST Search History

S48	1223	"markup interchange format" or MIF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:32
S49	1	("markup interchange format" or MIF) and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:28
S50	0	((("markup interchange format" or MIF) and paginat\$3) and database and record and field and directive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:37
S51	1	((("markup interchange format" or MIF) and paginat\$3) and database and record and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:30
S52	67	("markup interchange format" or MIF) and database and record and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S53	13	((("markup interchange format" or MIF) and database and record and field) and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S54	0	(((((("markup interchange format" or MIF) and database and record and field) and (field with instruction)) and (generat\$3 with output)) and paginat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S55	12	(((((("markup interchange format" or MIF) and database and record and field) and (field with instruction)) and (generat\$3 with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:41
S56	1	((Framemaker and Filemaker) and field) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:42
S57	1	((((Framemaker and Filemaker) and field) and instruction) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:42

EAST Search History

S58	26339	(creat\$3 or generat\$3 or design\$3) with template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28
S59	37	((creat\$3 or generat\$3 or design\$3) with template) and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28
S60	13	((creat\$3 or generat\$3 or design\$3) with template) and paginat\$3) and (generat\$ with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:34
S61	3675	(creat\$3 or generat\$3 or design\$3) adj template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28
S62	10	((creat\$3 or generat\$3 or design\$3) adj template) and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:43
S63	0	((creat\$3 or generat\$3 or design\$3) adj template) and paginat\$3) and (add with record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:44
S64	10	((creat\$3 or generat\$3 or design\$3) adj template) and paginat\$3) and add\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:44
S65	0	("markup interchange format" or MIF) and Filemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:29
S66	6	("markup interchange format" or MIF) and Framemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:29
S67	4	("markup interchange format" or MIF) and Framemaker) and convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:31

EAST Search History

S68	12778	recipient and address and (bad account or closed account or competitor or non-order or "physical location")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47
S69	120	((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47
S70	42	((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat\$3) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47
S71	13	((((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat\$3) and output) and catalog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:29
S72	598	catalog with send\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:58
S73	2	(catalog with send\$3) and (bad with customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S74	0	(catalog with send\$3) and (bad with account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S75	17	(catalog with send\$3) and (recipient with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S76	122202	((catalog with send\$3) and (recipient with catalog)) and account or competitor or (non with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:00
S77	8	((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:01

EAST Search History

S83	59	(pagination with program) and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:27
S84	25	S83 and (generat\$3 with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:27
S85	1	S84 and (database same product)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:30
S86	8	S84 and product	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:02
S87	1760	(image with information) and (product with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:03
S89	238	S87 and (select\$3 with record) same product	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:03
S90	124	S89 and (product with image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:04
S91	102	S90 and (image with information same product)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:04

EAST Search History

S92	33	S91 and (retriev\$3 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06
S93	0	S92 and pagina\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06
S94	21	S92 and (product with feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06
S99	25	pagination with program same output	USPAT	OR	ON	2007/02/16 19:30
S10 0	27	pagination with program same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:14
S10 1	5	"pagination program"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:16
S10 2	18	pagination and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:17
S10 3	3	Framemaker and Filemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:17
S10 4	25	pagination and (field with (program and code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:18

EAST Search History

S105	9	pagination and (field with script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:18
S106	35	S103 or S104 or S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:18
S107	68	(catalog and pagination) and (directive or instructions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:19
S108	17	S106 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:19
S109	1	((("markup interchange format" or MIF) and paginat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:52
S110	0	((((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database) and ("markup interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:31
S111	6	((("markup interchange format" or MIF) and Framemaker) and convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:28
S112	41	((((creat\$3 or generat\$3 or design\$3) with template) and paginat\$3) and (generat\$ with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:34
S113	36	S112 and (directive or direction or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:39
S114	1	(receiv\$3 or send\$3) with pagination same recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:40

EAST Search History

S11 5	67	(receiv\$3 or send\$3) with pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:41
S11 6	28	S115 and (order\$3 with (number monetary recency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:47
S11 7	39	S115 not S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:45
S11 8	0	S117 and (calculat\$3 with statistic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:47
S11 9	835	statistic with (order\$3 with (number monetary recency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:53
S12 0	0	S119 and (transfer with output same pagination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:52
S12 1	0	S119 and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:56
S12 2	0	S119 and (("markup interchange format" or MIF) and paginat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:52
S12 3	0	S119 and ("markup interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:52
S12 4	64	statistic with (order\$3 with (number monetary recency)) same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:53

EAST Search History

S12 5	0	statistic with (order\$3 with (number monetary recency)) same output same (transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:57
S12 6	0	S119 and paginat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:56
S12 7	59	(transfer\$3 or send\$3) with ("file template" "pagination")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 19:59
S12 8	0	S127 and (transfer\$3 or send\$3) with (product with catalogue\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 20:01
S12 9	0	S127 and (transfer\$3 or send\$3) and (product with catalogue\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 20:03
S13 0	0	S127 and (product with catalog\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 20:01
S13 1	521	(transfer\$3 or send\$3) with ((product with catalog\$4) (printed with catalog\$4) (printed with flyers) (electronic with catalog\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 20:04
S13 2	102	S131 and (product with record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 20:06
S13 3	5	S132 and (statistic or "predictive modeling") with (customer user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 19:25
S13 4	7804	computer with readable with medium with containing with instruction.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 10:32

EAST Search History

S13 5	3222	computer with readable with medium with containing with instruction.clm.	USPAT	OR	ON	2006/10/26 10:32
----------	------	---	-------	----	----	------------------



[Subscribe \(Full Service\)](#) [Register \(Limited Service\)](#)
Search: ☒ The ACM Digital Library ☐ The Guide
 +pagination +"field directive"

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisf](#)

Terms used **pagination field directive**

Four

Sort results by

[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

[Search Tips](#)

Try this search in [The /](#)

☐ [Open results in a new window](#)

Results 1 - 1 of 1

Relevan

1 [User documentation for Design Automation at TI](#)

Diana Mae Sims, James S. Crabbe

June 1981 **Proceedings of the 18th conference on Design automation DAC '81**

Publisher: IEEE Press

Full text available: [pdf\(720.83 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [citing](#), [inc](#)

The use of documentation is design automation is extensive. The "DADGUIDE" Documentation System at Texas Instruments' Design Automation Department accom many documentation tasks by means of a set of procedures, local and central compi processing programs with macro capabilities, and physical text formatters. The docu output is resident on a data set at the central computing facility. When users reques documents through submission of batch jobs, they exe ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 AC
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real I](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service\)](#)
Search: ☒ The ACM Digital Library ☐ The Guide
 +"pagination program"



[Feedback](#) [Report a problem](#) [Satisf](#)

Terms used **pagination program**

Four

Sort results by

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

[Search Tips](#)

[Try this search in The](#)

☐ [Open results in a new window](#)

Results 1 - 7 of 7

Relevan

1 [The persistent store as an enabling technology for integrated project support environments](#)

Ronald Morrison, Alan Dearle, Peter J. Bailey, Alfred L. Brown, Malcolm P. Atkinson
 August 1985 **Proceedings of the 8th international conference on Software engineering**
ICSE '85

Publisher: IEEE Computer Society Press

Full text available: pdf(688.27 KB) Additional Information: [full citation](#), [abstract](#), [reference](#), [index terms](#)

The software engineering community has recognised the need for integrated project environments (IPSEs) for some time. The technique of integration as a method of applies to all levels in the hierarchy of problem solving, both hardware and software paper discusses one such level, that in which the IPSE is implemented and in part use of a persistent store as an enabling technology for IPSEs. The facilities of the IPSE-ALGOL necessary to su ...

2 [An empirical study of the behavior of programs in a paging environment](#)

L. C. Varian, E. G. Coffman
 January 1967 **Proceedings of the first ACM symposium on Operating Systems**
SOSP '67

Publisher: ACM Press

Full text available: pdf(668.82 KB) Additional Information: [full citation](#), [abstract](#), [reference](#), [index terms](#)


This paper reports initial results from an empirical study directed at the measurement of program operating behavior in those multiprogramming systems in which programs are organized into fixed length pages. The data collected from the interpretive execution of a number of paged programs is used to describe the frequency of page faults; i.e. the frequency of those instants at which an executing program requires a page of data or instructions not in main (core) memory. These data are used al ...

3 [Memory allocation in paging systems](#)

Art Lew

◆ August 1973 **Proceedings of the annual conference ACM'73**

Publisher: ACM Press

Full text available:  pdf(356.14 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#)


We discuss in this paper three major problems related to the allocation of memory in paging systems. These are the problems of deciding how best to distribute prog and data into pages (pagination), of deciding which pages residing in main memor next be removed (replacement), and of deciding how many pages of each of sever competing programs should be permitted in main memory (allotment). We do not definitive solutions to these problems, as inde ...

4 ACM forum

◆ Robert L. Ashenhurst

September 1981 **Communications of the ACM**, Volume 24 Issue 9

Publisher: ACM Press


Full text available:  pdf(737.05 KB) Additional Information: [full citation](#), [references](#), [index](#)

5 Experience with a space efficient way to store a dictionary

◆ Robert Nix

May 1981 **Communications of the ACM**, Volume 24 Issue 5

Publisher: ACM Press

Full text available:  pdf(258.60 KB) Additional Information: [full citation](#), [abstract](#), [reference index terms](#)


The paper, "Computer Programs for Detecting and Correcting Spelling Errors" by J Peterson [3], listed methods for checking and correcting spelling errors. One signi method, however, was not included: a probabilistic technique suggested by Carter Markovsky, and Wegman [1]. The present note discusses aspects of these practica efficient algorithms for testing set membership—a simple abstraction of looking a dictionary. An impleme ...

6 Another spelling correction program

◆ Peter Robinson, Dave Singer

May 1981 **Communications of the ACM**, Volume 24 Issue 5

Publisher: ACM Press

Full text available:  pdf(233.87 KB) Additional Information: [full citation](#), [abstract](#), [citings](#), [i](#)

We read James L. Peterson's article, "Computer Programs for Detecting and Corre Spelling Errors" with great interest. We too have recently developed a spelling cor program as part of a tutorial on programming techniques and style. Our basic moc inhibited us from publishing the details—there was, after all, little research involve the program. However, on reflection, there are several features in our design that merit wider circulation.

7 Coding quality and tools in programming methods



G Perlman

July 1986 **ACM SIGSOFT Software Engineering Notes**, Volume 11 Issue 3

Publisher: ACM Press

Full text available: [pdf\(384.73 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index ter](#)

Twenty-two programming tools were introduced in coordinated exercises as part of a programming methods course. Twenty-two or twenty-four graduate students with experience responded to a survey asking about previous and intended use of the tools. The survey showed that many tools were new and useful to the students. My conclusion is worthwhile to incorporate a module on coding quality and tools in software engineering programs.

Results 1 - 7 of 7

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real I](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((('pagination program' <and> (field <near>directive))<in>metadata))"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((('pagination program' <and> (field <near>directive))<in>metadata)

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspect[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((pagination <and> instruction)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((framemaker <and> filemaker) <and> field) <and> instruction)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((framemaker <or> filemaker) <and> field) <and> instruction)<in>metadata)"

e-mail

Your search matched **0** documents.A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((framemaker <or> filemaker)) <and> instruction)<in>metadata)"

☒ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE –

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

("pagination program") (field with directive)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 6 of about 7 for ("**pagination program**") (**field with directive**)

Tip: Try removing quotes from your search to get more results.

Malta 2004

The PSI **Directive** will open up public registers for commercial reuse (eg. trade ... His particular **field** is personnel development and training and his ...

www.eadp.org/index.php?q=book/print/31 - 155k - [Cached](#) - [Similar pages](#)

Annual Congresses

The unit is responsible for the "Television without Frontiers **Directive**" and its ... based interface of our interactive **pagination program** Stibo Page. ...

www.eadp.org/index.php?q=book/print/28 - [Similar pages](#)

Heinlein Readers Discussion Group

An accomplished bioscientist with both **field** and laboratory expertise, she nevertheless takes on ... Doc4Kidz: prime **directive**: write entertaining stories ...

heinleinsociety.org/readersgroup/AOL_03-16-1999%20.html - 192k -

[Cached](#) - [Similar pages](#)

[PDF] How Cities are Preparing for Global Warming & Peak Oil

File Format: PDF/Adobe Acrobat

book becomes very influential in the **field** of. economics. ... InDesign (that's the **pagination program** ... County library sent out a **directive** to all ...

www.hopedance.org/new/docs/issue_58_total.pdf - [Similar pages](#)

COSmanager User Man pages - Documentation

PAGER: The name of the **pagination program** used when display manual pages, etc. ... to set environment variables to the values entered in each **field**. ...

documentation.fs.com.au/index.php/COSmanager_User_Man_pages - 104k -

Supplemental Result - [Cached](#) - [Similar pages](#)

Englisch Wörterbuch Englisch Deutsch Wörterbuch-

[[Translate this page](#)]

... packaging density=Packungsdichte; Packaging

Directive=Verpackungsrichtlinie ... **pagination program**=Umbruchprogramm;
paginations=Paginierungen ...

branchenportal-deutschland.aus-stade.de/ep.htm - 72k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can repeat the search with the omitted results included.

("pagination program") (field with dir

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

("pagination program") "instruction" (create or

[Advanced Search](#)
[Preferences](#)

Try uppercase **"OR"** to search for either of two terms.
[\[details\]](#)

Web Results 1 - 10 of about 13 for ("**pagination program**") "**instruction**" (**cre**

Basia Siedlecki - Northern B.C. Distance Education

In essence, we were trying to **create** a part of a lifestyle, focused on learning, ...
To do this we built a virtual **pagination program** package in PERL. ...
www.uvm.edu/~hag/naweb96/zsiedlecki.html - 23k - [Cached](#) - [Similar pages](#)

Computers & Texts 15: Beeler

Four professors in the English Department at UNBC volunteered to **create** courses for this ... the virtual **pagination program** looks up the requested page, ...
users.ox.ac.uk/~ctitext2/publish/comtxt/ct15/beeler.html - 20k -
[Cached](#) - [Similar pages](#)

Free Delphi Resume Samples

XML User Interface editor for FenzaThis editor read its definition, rules and output format from XML **files**, applied these rules to **create** new XML **files** that ...
www.portnov.com/FreeResumeSample/DelphiResumes.htm - 174k -
[Cached](#) - [Similar pages](#)

[PDF] What Can Be Done in High School, Grades 9–12?

File Format: PDF/Adobe Acrobat - [View as HTML](#)
of **instruction** comparable to other technology courses. ... identify, **create**, and use available **file** formats ... **Pagination program**. •. Indexing program ...
www.tcet.unt.edu/pubs/comp1/ch08.pdf - [Similar pages](#)

[PDF] ARCHIVE 2318

File Format: PDF/Adobe Acrobat - [View as HTML](#)
care what **pagination program** you. have, as do many designers, the ... with your e-mail, use scanned photos to **create** flyers, cards and. letterhead. ...
www.computoredge.com/Archive/Editorial%20Archive/ARCHIVE%202318.pdf -

[Similar pages](#)

UNITED STATES DISTRICT COURT WESTERN DISTRICT OF NEW YORK ...

Q. Was this **instruction** necessary on the **file** retrieval as you wrote it? ... What, did you **create** any -- did you **create** any new libraries specifically for ...
cd.textfiles.com/phoenix5/NIGHTOWL.014 - 271k - [Cached](#) - [Similar pages](#)

[PDF] MECCA 2000 Batch Composition

File Format: PDF/Adobe Acrobat

MECCA's **pagination program** uses four types of commands. ... This will **create** a **file** called "CMP_COMPOSE". You can edit this **file** and look ...
www.amgraf.com/PDFiles/M2KVol3.pdf - [Similar pages](#)

[PDF] CARL JUNCTION HIGH SCHOOL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Instruction is given to learn how to type. by touch, using correct techniques. Students will also learn to **create**, edit, format, save, open, ...
www.cj.k12.mo.us/hs/library/schoolinfo/cpg0607.pdf - [Similar pages](#)

pine info 1997.02

DE> On 6 Feb 1997, Georg Schwarz wrote: > While I'm not using pine myself I'd like to **create** a good global setup > **file** (/usr/local/bin/pine.conf) for other ...
mirror.sit.wisc.edu/pub/net/mail/pine/pine-info/pine-info.1997.02 - [Similar pages](#)

[PDF] How Cities are Preparing for Global Warming & Peak Oil

File Format: PDF/Adobe Acrobat

and universality of his teachings will help us **create** a ... course is \$1000 (72 hours **instruction**). A. deposit of \$200 is required ...
www.hopedance.org/new/docs/issue_58_total.pdf - [Similar pages](#)

Result Page: 1 2 [Next](#)